

ROUND CLUSTER CANOPY 55



ROUND CLUSTER CANOPY 55

Ceiling, indoor.


Matte white metal structure

ROUND CLUSTER CANOPY 55 - INDOOR

Leucos Design Lab, 2025



Discover more



MATERIALS	Metal
DIMENSIONS	[Ø21 5/8" H2 3/8"] Ø55cm H6cm
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali On-Off
MARKING	DRY LOCATION 
NET WEIGHT	22 lbs

CONFIGURATION CANOPY + ITEMS

Total maximum weight of installable fixtures (lbs)	Dimming Protocol	Driver quantity (included)	Watt
66 lbs	0/1-10V	2*	54W + 54W (108W)
	On-Off	2*	86,5W + 86,5W (173W)
NOTE	*Each driver works separately		

LAMPS (MAX 12 ELEMENTS)


ITEMS	NET WEIGHT (lbs) 1x Unite Stacking	LIGHT SOURCE (W)
Stacking S 30 V	0,65 lbs	6,25
Stacking S 60 V	1,1 lbs	13,7
Stacking S 90 V	1,6 lbs	21,25




DIMMING PROTOCOL	Push-dim; 0/1-10V; DALI
FINISH (DIFFUSER + STRUCTURE)	CODE
Matte White	8000346

DIMMING PROTOCOL	On-Off
FINISH (DIFFUSER + STRUCTURE)	CODE
Matte White	8000348


CANOPY	Round Cluster Canopy 55
QUANTITY OF LAMPS	1 X Stacking S 30 V
	1 X Stacking S 60 V
	1 X Stacking S 90 V
TOT SOURCE	41,2W
TOT NET WEIGHT	16 lbs



CANOPY	Round Cluster Canopy 55
QUANTITY OF LAMPS	3 x Stacking S 30 V
	3 X Stacking S 60 V
	1 X Stacking S 90 V
TOT SOURCE	81,1W
TOT NET WEIGHT	33 lbs



CANOPY	Round Cluster Canopy 55
QUANTITY OF LAMPS	6 x Stacking S 60 V
TOT SOURCE	81,2W
TOT NET WEIGHT	31 lbs



RADIAL CLUSTER CANOPY 33



RADIAL CLUSTER CANOPY 33

Ceiling, indoor.


Matte white metal structure

RADIAL CLUSTER CANOPY 33 - INDOOR

Leucos Design Lab, 2025



Discover more



MATERIALS	Metal
DIMENSIONS	[Ø12" H2 1/4"] Ø33cm H5,7cm
DIMMING PROTOCOL	0/1-10V; Dali On-Off
MARKING	DRY LOCATION 
NET WEIGHT	10 lbs

CONFIGURATION CANOPY + ITEMS


Dimming Protocol	Driver quantity (included)	Watt
0/1-10V	2*	54W + 54W (108W)
On-Off	2*	86,5W + 86,5W (173W)
NOTE	*Each driver works separately	

LAMPS (MAX 12 elements)


ITEMS	LIGHT SOURCE (W)
Stacking S 30 V	6,25
Stacking S 60 V	13,7
Stacking S 90 V	21,25
Stacking S 120 H	28,75
Stacking S 180 H	43,75

DIMMING PROTOCOL	Push-dim; 0/1-10V; DALI
FINISH (DIFFUSER + STRUCTURE)	CODE
Matte White	8000342

DIMMING PROTOCOL	On-Off
FINISH (DIFFUSER + STRUCTURE)	CODE
Matte White	8000349



CANOPY	DIMMING PROTOCOL	QUANTITY OF LAMPS		TOT SOURCE
RADIAL CLUSTER CANOPY 33	On-Off	3 x Stacking S 120 H	1 x Stacking S 180 H	130W



CANOPY	DIMMING PROTOCOL	QUANTITY OF LAMPS		TOT SOURCE
RADIAL CLUSTER CANOPY 33	0/1-10V	2 x Stacking S 120 H	1 x Stacking S 180 H	101,25W