


STACKING B TR - INDOOR

Rockwell Group, 2007



Discover more

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: [Ø9" h45 1/4"] Ø23cm h115cm Cable lenght: [86 5/8"] 220cm
LIGHT SOURCE	120Vac 50-60Hz GU10 4 x 7W LED Bulb
CONTROL	On-Off switch on cord
MARKING	DRY LOCATION
NET WEIGHT	63,93 Ibs

PROJECT NAME	
SPECIFIER NAME	

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information

North America


LEUCOS



CONTROL	On-Off switch on cord			
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE	QTY	TYPE
Smoke Grey, White, Smoke Grey, White, Mirror + Chrome	GU10	0004097		
NOTE	Light bulbs not included			

STACKING C TR - INDOOR

Rockwell Group, 2007



Discover more

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: [Ø9" h64 1/4"] Ø23cm h163cm Cable lenght: [86 5/8"] 220cm
LIGHT SOURCE	120Vac 50-60Hz GU10 4 x 7W LED Bulb
CONTROL	On-Off switch on cord
MARKING	DRY LOCATION
NET WEIGHT	80,90 Ibs

North America

LEUCOS




CONTROL	On-Off switch on cord			
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE	QTY	TYPE
Smoke Grey, White, Amber, Tobacco, White, Amber + Gold	GU10	0004099		
NOTE	Light bulbs not included			

PROJECT NAME	
SPECIFIER NAME	

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information

STACKING D TR - INDOOR

Rockwell Group, 2007



Discover more

TECHNICAL SHEET

MATERIALS	Diffuser: Blown Glass Structure: Metal
DIMENSIONS	Diffuser: [09" h58 1/4"] Ø23cm h148cm Cable lenght: [86 5/8"] 220cm
LIGHT SOURCE	120Vac 50-60Hz GU10 4 x 7W LED Bulb
CONTROL	On-Off switch on cord
MARKING	DRY LOCATION
NET WEIGHT	66,57 Ibs

North America

LEUCOS



CONTROL	On-Off switch on cord			
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE	QTY	TYPE
White, Gold, Transparent Tobacco, White, Gold, Black + Gold	GU10	0004101		
NOTE	Light bulbs not included			

PROJECT NAME	
SPECIFIER NAME	

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information