


AELLA S 54 - INDOOR

Toso & Massari, 2016



Discover more

REPLACEABLE LED

North America

LEUCOS



[5]

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
CANOPY	Matte White
DIMENSIONS	Diffuser: [Ø21 1/4" H9 1/4"] Ø54 cm H23,2 cm Canopy: [Ø7" H2"] Ø18 cm H4,9cm Cable length: [118 1/8"] 300 cm
	100-240Vac 50-60Hz
LIGHT SOURCE	Transparent with White Spot Diffuser: LED 1 X 16,6W 2615 lm (delivered) 3000K CRI≥90 LED 1 X 16,6W 2514 lm (delivered) 2700K CRI≥90 All other finishes: LED 1 X 16,6W 3944 lm (nominal) 3000K CRI≥90 LED 1 X 16,6W 3791 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION 
NET WEIGHT	28,66 lbs

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali			
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE	QTY	TYPE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0013033 0013034		
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0013035 0013036		
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0013037 0013038		
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0013039 0013040		
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0013041 0013042		
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0013043 0013044		
[7] White Shaded Pink + Matte White	LED 3000K LED 2700K	0014305 0014306		
[8] White Shaded Pink + Matte Black	LED 3000K LED 2700K	0014307 0014308		
[9] White Shaded Pink + Matte Bronze	LED 3000K LED 2700K	0014309 0014310		

PROJECT NAME	
SPECIFIER NAME	

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information


HQ: 6 Kilmer Rd Suite B - Edison, NJ 08817, US
WH: 2351 Us Highway 130 Ste B - Dayton, NJ 08810-1648, US

<https://www.leucos.com/en-us/>
info.us@leucos.com

Tel +1 (732) 225-0010

AELLA S 45 - INDOOR

Toso & Massari, 2023



Discover more

REPLACEABLE LED

North America

LEUCOS



[18]

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
CANOPY	Matte White
DIMENSIONS	Diffuser: [Ø17 3/4" H 7 1/2"] Ø45 cm H19,3 cm Canopy: [Ø7" H2"] Ø18 cm H4,9 cm Cable lenght: [118 1/8"] 300 cm
LIGHT SOURCE	100-240Vac 50-60Hz Transparent with White Spot Diffuser: LED 1 X 14,2W 1350 lm (delivered) 3000K CRI≥90 LED 1 X 14,2W 1298 lm (delivered) 2700K CRI≥90 All other finishes: LED 1 X 14,2W 2219 lm (nominal) 3000K CRI≥90 LED 1 X 14,2W 2118 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION 
NET WEIGHT	17,19 lbs

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali			
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE	QTY	TYPE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0013016 0013017		
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0013018 0013019		
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0013020 0013021		
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0013022 0013023		
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0013024 0013025		
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0013026 0013228		
[7] White Shaded Pink + Matte White	LED 3000K LED 2700K	0014298 0014299		
[8] White Shaded Pink + Matte Black	LED 3000K LED 2700K	0014301 0014302		
[9] White Shaded Pink + Matte Bronze	LED 3000K LED 2700K	0014303 0014304		

PROJECT NAME	
SPECIFIER NAME	

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information

HQ: 6 Kilmer Rd Suite B - Edison, NJ 08817, US
WH: 2351 Us Highway 130 Ste B - Dayton, NJ 08810-1648, US

<https://www.leucos.com/en-us/info.us@leucos.com>


Tel +1 (732) 225-0010

AELLA S 30 - INDOOR

Toso & Massari, 2016

North America

LEUCOS



Discover more

REPLACEABLE LED



TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Glass Structure: Metal
CANOPY	Matte White
DIMENSIONS	Diffuser: [Ø11 3/4" H5 1/8"] Ø30 cm H12,9 cm Canopy: [Ø5 3/4" H1 3/4"] Ø14,5 cm H4,6 cm Cable length: [118 1/8"] 300 cm
	100-240Vac 50-60Hz
LIGHT SOURCE	Transparent with White Spot Diffuser: LED 1 X 11,9W 1051 lm (delivered) 3000K CRI≥90 LED 1 X 11,9W 986 lm (delivered) 2700K CRI≥90 All other finishes: LED 1 X 11,9W 1568 lm (nominal) 3000K CRI≥90 LED 1 X 11,9W 1506 lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali
MARKING	DRY LOCATION 
NET WEIGHT	8,15 lbs

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali			
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE	QTY	TYPE
[1] Transparent with White Spot + Matte White	LED 3000K LED 2700K	0012998 0012999		
[2] Transparent with White Spot + Matte Black	LED 3000K LED 2700K	0013000 0013001		
[3] Transparent with White Spot + Matte Bronze	LED 3000K LED 2700K	0013002 0013003		
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0013004 0013005		
[5] Shaded Burgundy + Matte Black	LED 3000K LED 2700K	0013006 0013007		
[6] Shaded Burgundy + Matte Bronze	LED 3000K LED 2700K	0013008 0013009		
[7] White Shaded Pink + Matte White	LED 3000K LED 2700K	0014292 0014293		
[8] White Shaded Pink + Matte Black	LED 3000K LED 2700K	0014294 0014295		
[9] White Shaded Pink + Matte Bronze	LED 3000K LED 2700K	0014296 0014297		

PROJECT NAME	
SPECIFIER NAME	

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information