


AURELIA S 45 SS (SINGLE SWITCH) - INDOOR

Patrick Jouin, 2021



Direct light +
Indirect light



Discover more

REPLACEABLE LED

North America

LEUCOS



[10]

110-240Vac 50-60Hz standard version

(supplied with canopy & driver)

DIMMING PROTOCOL	Push-dim; 0/1-10V; Dali			
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE	QTY	TYPE
[1] Smoke Grey + Matte White	LED 3000K LED 2700K	0013105 0013106		
[2] Smoke Grey + Vintage Brass	LED 3000K LED 2700K	0013107 0013108		
[3] Smoke Grey + Matte Gunmetal	LED 3000K LED 2700K	0013109 0013110		
[4] Shaded Burgundy + Matte White	LED 3000K LED 2700K	0013111 0013112		
[5] Shaded Burgundy + Vintage Brass	LED 3000K LED 2700K	0013113 0013114		
[6] Shaded Burgundy + Matt Gunmetal	LED 3000K LED 2700K	0013115 0013116		
[7] Transparent water effect + Matte White	LED 3000K LED 2700K	0013118 0013119		
[8] Transparent water effect + Vintage Brass	LED 3000K LED 2700K	0013120 0013121		
[9] Transparent water effect + Matte Gunmetal	LED 3000K LED 2700K	0013122 0013123		
[10] Blue water effect + Matte White	LED 3000K LED 2700K	0013124 0013125		
[11] Blue water effect + Vintage Brass	LED 3000K LED 2700K	0013126 0013127		
[12] Blue water effect + Matte Gunmetal	LED 3000K LED 2700K	0013128 0013129		
[13] Transparent pulegoso with metal powder inclusion + Matte White	LED 3000K LED 2700K	0013130 0013131		
[14] Transparent water effect + Vintage Brass	LED 3000K LED 2700K	0013132 0013133		
[15] Transparent pulegoso with metal powder inclusion + Matte Gunmetal	LED 3000K LED 2700K	0013134 0013135		

TECHNICAL SHEET

MATERIALS Diffuser: Blown Glass
Structure: Metal

CANOPY Matte White

DIMENSIONS Diffuser: [Ø17 3/4" H5 1/2"] Ø45 cm H14 cm
Canopy: [Ø7" H2"] Ø18 cm H4,9cm
Cable length: [118 1/8"] 300 cm

LIGHT SOURCE

Smoke Grey Diffuser:
 Direct: LED 1 X 11,6W
 Indirect: 1 X LED STRIP X 14,4W
 Total 1375 lm (delivered) 3000K CRI≥90
 Total 1321 lm (delivered) 2700K CRI≥90

Transparent Water Effect Diffuser:
 Direct: LED 1 X 11,6W
 Indirect: 1 X LED STRIP X 14,4W
 Total 1513 lm (delivered) 3000K CRI≥90
 Total 1453 lm (delivered) 2700K CRI≥90

All other finishes:
 Direct: LED 1 X 11,6W 1531 lm (nominal) 3000K CRI≥90
 Indirect: 1 X LED STRIP X 14,4W 2450 lm (nominal) 3000K CRI≥90
 or
 Direct: LED 1 X 11,6W 1471 lm (nominal) 2700K CRI≥90
 Indirect: 1 X LED STRIP 14,4W 2360 lm (nominal) 2700K CRI≥90

DIMMING PROTOCOL Push-dim; 0/1-10V; Dali

MARKING DRY LOCATION



WEIGHT Net Weight: 20,50 Ibs

ON REQUEST

Version for installation with remote driver
(supplied without canopy & driver)

DIMMING PROTOCOL Driver and canopy not included

PROJECT NAME	
SPECIFIER NAME	

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information

11 Mayfield Avenue, Edison, NJ 08837 – USA
Tel +1 (732) 225-0010

<https://www.leucos.com/en-us/info.us@leucos.com>

STRUCTURE

Matte white

Vintage Brass

Matte Gunmetal

DIFFUSER

Smoke Grey



Shaded Burgundy



Transparent Water Effect



Blue Water Effect



STANDARD COLOR FINISHES

STRUCTURE

Matte white

Vintage Brass

Matte Gunmetal

DIFFUSER

Transparent
"Pulegoso"
with metal
powder
inclusion



STANDARD COLOR FINISHES