

TECHNICAL SHEET

MATERIALS Diffuser: Blown Borosilicate Glass
Structure: Metal

DIMENSIONS Diffuser: [27 1/2" x 27 1/2" H59"] 70x70cm H150cm
Canopy: [23 1/4" x 23 1/4" H2 1/8"] 59x59cm H5,5cm

LIGHT LED 4 X 8,7W (34,8W total) 4580lm (nominal) 3000K CRI≥90
SOURCE LED 4 X 8,7W (34,8W total) 4304lm (nominal) 2700K CRI≥90

DIMMING 0/1-10V, Phase Cut
PROTOCOL


MARKING DRY LOCATION 
PENDING

NET WEIGHT 66 lbs


PROJECT NAME

SPECIFIER NAME

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information



VERSION A







VERSION B



VERSION C



VERSION D

**ETHER S 150 SQ VERSION A**

DIMMING PROTOCOL	0/1-10V, Phase Cut	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014485 0014486

ETHER S 150 SQ VERSION B

DIMMING PROTOCOL	0/1-10V, Phase Cut	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014487 0014488



ETHER S 150 SQ VERSION C

DIMMING PROTOCOL	0/1-10V, Phase Cut	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014489 0014490



ETHER S 150 SQ VERSION D

DIMMING PROTOCOL	0/1-10V, Phase Cut	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014491 0014492



VERSION A



VERSION B - B



VERSION B - C - C - B



VERSION D - D - D - D

