


ETHER S 90 SQ

Patrick Jouin, 2025

North America

LEUCOS

TECHNICAL SHEET	
MATERIALS	Diffuser: Blown Borosilicate Glass Structure: Metal
DIMENSIONS	Diffuser: [27 1/2" x 27 1/2" H34 1/4"] 70x70cm H87cm Canopy: [23 1/4" x 23 1/4" H2 1/8"] 59x59cm H5,5cm
LIGHT SOURCE	LED 4 X 8,7W (34,8W total) 4580lm (nominal) 3000K CRI≥90 LED 4 X 8,7W (34,8W total) 4304lm (nominal) 2700K CRI≥90
DIMMING PROTOCOL	0/1-10V, Phase Cut
MARKING	DRY LOCATION  PENDING
NET WEIGHT	55 lbs



VERSION A



VERSION B



VERSION C



VERSION D





PROJECT NAME	
SPECIFIER NAME	

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information

HQ: 6 Kilmer Rd Suite B - Edison, NJ 08817, US
WH: 2351 Us Highway 130 Ste B - Dayton, NJ 08810-1648, US

<https://www.leucos.com/en-us/>
info.us@leucos.com

Tel +1 (732) 225-0010



ETHER S 90 SQ VERSION A

DIMMING PROTOCOL	0/1-10V, Phase Cut	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014477 0014478

ETHER S 90 SQ VERSION B

DIMMING PROTOCOL	0/1-10V, Phase Cut	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014479 0014480

ETHER S 90 SQ VERSION C



DIMMING PROTOCOL	0/1-10V, Phase Cut	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014481 0014482

ETHER S 90 SQ VERSION D



DIMMING PROTOCOL	0/1-10V, Phase Cut	
FINISH (DIFFUSER + STRUCTURE)	SOURCE	CODE
Trasparent + Matte White	LED 3000K LED 2700K	0014483 0014484

We reserve the right to change our product specifications.
Please visit www.leucos.com for the latest product information



VERSION A



VERSION B - B



VERSION B - C - C - B



VERSION D - D - D - D

