

LEUCOS

LEUCOS

LEUCOS

LEUCOS

LEUCOS

LEUCOS

CATALOG
2026

YOU SPOT IT FROM AFAR

CATALOG

(2026)



Rooted in a solid industrial heritage, from photography with MANFROTTO to retail design with ALU, we reinvent across time: **LEUCOS**, you spot it from afar.



Founded in 1962, the company has always celebrated the excellence of Venetian blown glass, reinterpreting it in a contemporary way through collaborations with internationally renowned designers.

Today, LEUCOS continues to push the boundaries of contemporary lighting design, offering both highly customizable standard products and fully tailored solutions.



The rebirth of LEUCOS is rooted in a unique industrial journey, which originates from the renowned Manfrotto company, a global leader in the design and production of professional camera supports and lighting systems, and from ALU, a company specializing in modular and custom display solutions for the most prestigious retailers and global brands.

In 2019, the acquisition of the LEUCOS brand by Abramo Manfrotto marked a turning point, blending advanced technical expertise with a contemporary design vision. The result is a portfolio of collections that alternates classic and modern, craftsmanship and technology, offering functional and durable products that engage with contemporary spaces.

«My childhood memories led me to discover the timeless beauty of LEUCOS. Falling in love with the brand's history and classic icons sparked a passion in me to modernize its portfolio and bring new life to its timeless classics.»

«I have always known that one day I would focus on lighting because, since I was a child, I've been immersed in lighting: balanced and sublime professional photographic lighting.»

Abramo Manfrotto



NEVER THE SAME GLASS PIECE

LEUCOS glass lamps are distinguished by their hand-blown glass diffusers. Their colors and shades are always distinctive, ensuring each piece is original and never identical to another.



For the Transparent with White Spot finish, during the initial phase of blowing, the Maestro glassmaker applies a small amount of white opaline glass—known as "in paste"—onto the still-incandescent transparent glass mass. This paste is fused with the main body of the glass, becoming an integral part of the diffuser.

The glass is then blown and shaped using traditional tools, while rotating the molten mass on a metal plate to achieve the desired form.

The position, size, and intensity of the spot depend on the gesture and sensitivity of the Maestro, making each piece truly one-of-a-kind.

LEUCOS CATALOG 2026

(COLLECTIONS)

Combining the timeless charm of glass with innovative structural elements, LEUCOS introduces new collections and additions to the existing ones.

(INFO)

Begin with emotion. The catalog opens with a visual journey through all LEUCOS collections—from the new Stripe, OR and Glassdome, to upgraded Stacking and Ether. Technical specifications are detailed at the end.



Stripe (12) (93) OR (28) (99) Glassdome (36) (101) Aella (42) (103) Stacking UPGRADED (56) (110) Aurelia (74) (127) Ether UPGRADED (84) (130)

TECHNICAL OVERVIEW (92)



Stripe

A minimalist metal structure that transforms space through reflections, rotations, and the poetry of light.

Mayice Studio, 2025.

PENDANT
PENDANT COUNTERWEIGHT
WALL AND CEILING
FLOOR



STRIPE S 120X8 CWT
Pendant counterweight, indoor.
Brushed stainless steel.

Stripe's clean silhouette, featuring a diamond-shaped section and available in stainless steel or painted metal finishes, seamlessly integrates into walls, ceilings, and floors.

Stripe

STRIPE P-PL 120X8
Wall and ceiling, indoor.
Steel with matte white
painted finishing.

STRIPE P-PL 90X8
Wall and ceiling, indoor.
Steel with matte terracotta
painted finishing.

STRIPE S 120X8 CWT
Pendant counterweight, indoor.
Steel with matte terracotta
painted finishing (x3).

STRIPE P-PL 120X8
Wall and ceiling, indoor.
Steel with matte terracotta
painted finishing (x2).

«With Stripe, we wanted to create a design that captures the ever-changing nature of light.»

—
Mayice Studio

Stripe is the first LEUCOS collection without glass, exploring the dialogue between light and metal.



STRIPE P-PL 90X8
Wall and ceiling, indoor.
Steel with matte white
painted finishing (x2).



The brushed stainless steel finish enhances the light effect, reflecting and diffusing it in multiple directions, creating luminous paths that expand throughout the space.

STRIPE S 120X8 CWT
Pendant counterweight, indoor.
Brushed stainless steel (x6).



STRIPE S 120X8 CWT
 Pendant counterweight, indoor.
 Steel with matte terracotta
 painted finishing.

→ **STRIPE TR 180X15**
 Floor, indoor.
 Brushed stainless steel.



STRIPE TR 180X15
 Floor, indoor.
 Steel with matte terracotta
 painted finishing.





STRIPE P-PL 120X8
Wall and ceiling, indoor.
 Steel with matte terracotta
 painted finishing.

STRIPE S 120X8 CWT
Pendant counterweight, indoor.
 Steel with matte terracotta
 painted finishing.




STRIPE P-PL 90X8
Wall and ceiling, indoor.
 Steel with matte yellow
 painted finishing (x2).



STRIPE TR 180X15
Floor, indoor.
 Steel with matte terracotta
 painted finishing.

STRIPE S 180X8 H
Pendant, indoor.
 Steel with matte yellow
 painted finishing (x2).

In the Suspension version, the metal body can rotate on itself, adding another layer of interaction and flexibility to its luminous presence.



Learn more about the rotatable metal body of Stripe in the technical overview (p. 94, 96).

More than just a lamp, Stripe explores the dialogue between light and metal, transforming the environment through constantly evolving reflections.



STRIPE S 180X8 H
Pendant, indoor.
Steel with matte white
painted finishing.

OR

OR is a luminous line, a game of overlapping, intersecting, and interlocking rings.

Patrick Jouin, 2025.

WALL AND CEILING



OR 2 P-PL
Wall and ceiling, indoor.
Champagne liquid-painted
finish.

Viewed from the front, it appears as a bold, pure line. In motion, perception shifts—depth emerges, the rings separate and slide into one another.

OR



OR 2 P-PL
Wall and ceiling, indoor.
Champagne liquid-painted
finish.



OR 1 P-PL
Wall and ceiling, indoor.
Matte white liquid-painted
finish (x4).



OR 1 P-PL
Wall and ceiling, indoor.
Champagne (x1) and matte white (x2)
liquid-painted finish.



OR 2 P-PL
Wall and ceiling, indoor.
Champagne liquid-painted
finish (x1).



«From the front, a perfect circle—a pure and absolute form. But as soon as one moves, perception shifts: the line unfolds in volume, with one part close to the wall and the other suspended, creating an unexpected play of depth. This interplay of rings, crossing and connecting, forms a free and random path.»

Patrick Jouin



Available in a single wall and ceiling version or a double configuration (two crossed rings), OR adapts and transforms, creating custom luminous compositions.



OR 2 P-PL
Wall and ceiling, indoor.
Silver (only on request)
liquid-painted finish (x2).

OR 1 P-PL
Wall and ceiling, indoor.
Brass (only on request)
liquid-painted finish (x2).

The decorative diffuser, made of painted polyurethane, is offered on request also in Silver and Brass finishes.



Glassdome

A wall and ceiling lamp defined by its pure, simple design and its ability to diffuse a soft, enveloping light.

LEUCOS Design, 2025.

WALL AND CEILING



GLASSDOME P-PL 11
Wall and ceiling, indoor.
White glass diffuser,
matte white structure.

Glassdome

GLASSDOME P-PL 11
Wall and ceiling, indoor.
White glass diffuser,
matte white structure.

The white hand-blown glass diffuser, paired with its matte white structure, creates a delicate balance of transparency and solidity, forming a discreet yet striking presence in any space—especially when used in multiples.

Available in P-PL 11 and P-PL 14, Glassdome expresses the refinement of simplicity: a luminous gesture that enhances interiors with warmth and quiet sophistication.



GLASSDOME P-PL 14
Wall and ceiling, indoor.
White glass diffuser,
matte white structure.

GLASSDOME P-PL 11
Wall and ceiling, indoor.
White glass diffuser,
matte white structure.



GLASSDOME P-PL 11
Wall and ceiling, indoor.
White glass diffuser,
matte white structure (x3).



GLASSDOME P-PL 14
Wall and ceiling, indoor.
 White glass diffuser,
 matte white structure.

GLASSDOME P-PL 11
Wall and ceiling, indoor.
 White glass diffuser,
 matte white structure.

Compact in form yet rich in atmosphere,
 it transforms light into an intimate and
 timeless experience.



GLASSDOME P-PL 11
Wall and ceiling, indoor.
 White glass diffuser,
 matte white structure (x3).

Aella

Aella is the "whirlwind", embodied by the dynamic movement captured in its hand-blown glass diffuser.

Toso & Massari, 1968–2024.

PENDANT
TABLE
FLOOR



AELLA S 54
Pendant, indoor.
Pink shaded white diffuser,
matte bronze structure.

Emanating from the single point, an evanescent light cone grows to create sinuous patterns and harmonic reflections. Designed in 1968 by Toso and Massari, this collection of table, suspension, and floor lamps incorporates the essential and timeless design principles characteristic of LEUCOS' products.

AELLA T 30
Table, indoor.
Transparent with white spot diffuser,
matte bronze structure.

AELLA TR 45
Floor, indoor.
Transparent with white spot diffuser,
matte black structure.



The Aella Collection embodies the "tornado" through the soft curves of its hand-blown glass diffuser, swirling outward to capture a harmonious and evanescent cyclone of light. Options include White Shaded Pink, Shaded Burgundy, and Transparent with White Spot, where size, shade, and intensity of the white paste color spot are determined by the Maestro glassmaker's skilled touch, ensuring each piece is unique.





AELLA S 30
Pendant, indoor.
Transparent with white spot diffuser,
matte bronze structure (x3).

AELLA S 54 L
Pendant, indoor.
Pink shaded white diffuser,
matte black structure (x2).



AELLA S 45
Pendant, indoor.
Shaded burgundy diffuser,
matte bronze structure (x3).

Over fifty years since its debut, Aella continues to evolve with timeless elegance. In 2024, a special edition—Aella T 45 Openworked—was introduced, elevating the purity of light through a transparent glass base and exposed metal components.

Aella T 45 Openworked features two slim natural copper rods—essential elements that serve as both structural supports and as part of the lamp's visual balance—and a transparent glass diffuser with a white spot. The position, size, and intensity of the spot depend on the gesture and sensitivity of the Maestro, ensuring that each piece is original and never identical to another.



AELLA T 45 OPENWORKED
Table, indoor.
Transparent with white spot diffuser,
transparent glass and matte white
metal structure with copper rods.

«The purity of light meets colorful metallic details, creating an unprecedented balance between the transparency of the glass diffuser and the strength of the colored metal structure»

—
Noti Massari



AELLA T 45 OPENWORKED
Table, indoor.
Transparent with white spot diffuser,
transparent glass and satin stainless
steel structure with copper rods.

Stacking

Stacking orchestrates layered glass cylinders and precision-machined metal structures into a luminous composition of light and form.

David Rockwell, 2007–2025.

PENDANT
WALL AND CEILING
TABLE
FLOOR

UPGRADED

STACKING S 180 H RIG
Pendant, indoor.
Transparent rigadin glass diffuser,
anodized aluminum structure.



Stacking

ROUND CLUSTER CANOPY 55
Ceiling, indoor.
Matte white metal structure.

[Learn more at p. 116-118.](#)

STACKING S 180 H MLR
Pendant, indoor.
Transparent millerighe glass diffuser,
anodized aluminum structure.

STACKING C TR
Floor, indoor.
Smoke grey, white, amber and transparent
tobacco glass diffuser, gold metal structure.

STACKING B TR
Floor, indoor.
Smoke grey, white and mirror glass diffuser,
chrome metal structure.



STACKING S 30 V
Pendant, indoor.
 Transparent smooth glass diffuser,
 anodized aluminum structure (x2).

STACKING S 60 V RIG
Pendant, indoor.
 Amber rigadin glass diffuser,
 anodized aluminum structure (x2).

STACKING S 90 V
Pendant, indoor.
 Transparent smooth glass diffuser,
 anodized aluminum structure (x1).

STACKING S 90 V RIG
Pendant, indoor.
 Amber rigadin glass diffuser,
 anodized aluminum structure (x1).



Stacking S is composed of a cylindrical diffuser powered by 5 high-quality LED strips. The decorative elements are crafted from blown borosilicate glass. Machined aluminum end-caps hold everything together and act as suspension anchoring points.

The new transparent millerighe glass option adds a distinctive striped texture, enhancing the dynamic and evocative interplay of light.



STACKING C TR
Floor, indoor.
Smoke grey, white, amber and transparent tobacco glass diffuser, gold metal structure.

STACKING B TR
Floor, indoor.
Smoke grey, white and mirror glass diffuser, chrome metal structure.

STACKING D TR
Floor, indoor.
White, gold, transparent tobacco and black glass diffuser, gold metal structure.

The floor version was conceived in 2007 and pays homage to the rich Venetian glassmaking tradition employing the "incamiciato" technique (Italian for "jacketed" or "layered"), which requires skilled glassblowers layer multiple glasses during the blowing process.

This labor-intensive technique builds different colors and opacities in each module. When these cylinder modules are combined and overlaps, a captivating mixture of colors cast a sophisticated ambient light.





STACKING S 90 V MLR
Pendant, indoor.
 Transparent millerighe glass diffuser,
 anodized aluminum structure (x2).

STACKING S 30 V MLR VU
Pendant, indoor.
 Transparent millerighe single glass diffuser,
 anodized aluminum structure (x2).

STACKING S 60 V MLR VU
Pendant, indoor.
 Transparent millerighe single glass diffuser,
 anodized aluminum structure (x2).



STACKING S 180 H MLR
Pendant, indoor.
 Transparent millerighe glass diffuser,
 anodized aluminum structure (x1).

RADIAL CLUSTER CANOPY 33
Ceiling, indoor.
 Matte white metal structure.

Please note that the dimming protocol
 for the composition shown above
 is On-off for US and Canada.

Learn more at p. 116-118.



STACKING S 30 V
Pendant, indoor.
 Metallic titanium PVD metalized glass
 diffuser (x2) and transparent smooth glass
 diffuser (x2), anodized aluminum structure.

COLLECTION

STACKING S 60 V
Pendant, indoor.
 Metallic titanium PVD metalized glass
 diffuser (x1), metallic petrol blue PVD
 metalized glass diffuser (x1) and transparent
 smooth glass diffuser (x3), anodized
 aluminum structure (x1).

STACKING

STACKING S 90 V
Pendant, indoor.
 Transparent smooth glass diffuser,
 anodized aluminum structure (x3).

With three different sizes for the vertical
 versions and two for the horizontal ones,
 the suspended range can work in clusters
 and create beautiful and fascinating shapes
 of lights.

A refined table version, Stacking T 30X15
 Rig, brings the architectural beauty
 of Stacking into more intimate spaces,
 creating a warm and sophisticated
 atmosphere.



STACKING T 30X15 RIG
Table, indoor.
 Transparent rigadin glass diffuser,
 matte black structure.

LEUCOS CATALOG 2026



STACKING P-PL 30 RIG
 Wall and ceiling, indoor.
 Transparent rigadin glass diffuser,
 anodized aluminum structure (x4).

STACKING P-PL 60 RIG
 Wall and ceiling, indoor.
 Transparent rigadin glass diffuser,
 anodized aluminum structure (x7).

STACKING S 120 H
 Pendant, indoor.
 Transaprent smooth glass diffuser,
 anodized aluminum structure.




After defining its signature aesthetic through iconic floor and suspension versions, David Rockwell expands the modular language of Stacking with new wall and ceiling applications featuring single-glass variations.

The collection grows with two new applications, installable both vertically and horizontally, allowing for unique luminous effects in any setting.

The blown borosilicate glass diffuser, available in stacked cylindrical modules or as a single-glass variation, comes in transparent, ribbed or millerighe glass, combined with an anodized aluminum or matte black wrinkled metal structure.

Learn more about the glass arrangement of Stacking in the technical overview (p. 114-115).





STACKING S 60 V RIG
Wall and ceiling, indoor.
 Transparent rigadin glass diffuser,
 anodized aluminum structure.

STACKING P-PL 60 RIG
Wall and ceiling, indoor.
 Transparent rigadin glass diffuser,
 anodized aluminum structure.



With this evolution, the Stacking collection offers even greater versatility, turning light into a defining architectural element within any space.

Aurelia

A seamless fusion of artisanal glassmaking tradition and LEUCOS innovation.

Patrick Jouin, 2021.

PENDANT



AURELIA S 45
Pendant, indoor.
Shaded burgundy glass diffuser,
matte gunmetal metal structure.

The hand-blown glass diffuser wraps around the metal structure, which houses two LED light sources.

Aurelia



AURELIA S 45
Pendant, indoor.
Shaded burgundy glass diffuser,
matte gunmetal metal structure.

AURELIA BOLD S 22
Pendant, indoor.
Transparent "Pulegoso" with metal
powder inclusion glass diffuser, vintage
brass metal structure.

AURELIA BOLD S 22
Pendant, indoor.
Shaded burgundy glass diffuser,
matte gunmetal metal structure.

The two light sources offer the possibility of simultaneous switching (direct + indirect) and are dimmable, creating both soft direct light and surprising, unexpected indirect reflections.



AURELIA S 45
Pendant, indoor.
Transparent "Pulegoso" with metal
powder inclusion glass diffuser, vintage
brass metal structure.





AURELIA S 45
Pendant, indoor.
 Transparent water effect glass diffuser,
 matte gunmetal metal structure (x1).

AURELIA BOLD S 22
Pendant, indoor.
 Transparent water effect glass diffuser,
 matte gunmetal metal structure (x2).

AURELIA BOLD S 22
Pendant, indoor.
 Shaded burgundy glass diffuser,
 matte white metal structure (x3).

Available in two shapes and two sizes, Aurelia Collection offers several color combinations for the hand-blown glass diffuser and the metal structure.

The Aurelia Collection presents a variety of color combinations for the hand-blown glass diffuser, each one unique in its shade and the effects created by the glassmaker. Options include Transparent "Pulegoso" with metal powder inclusion, Transparent Water Effect, and Shaded Burgundy.



Aurelia is a breathtaking collection of suspension lamps in which functionality and craftsmanship meet aesthetics and elegance.



Ether

Ether is a suspension lamp that illuminates and transforms the space through its cascading composition of transparent blown borosilicate glass spheres.

Patrick Jouin, 2006–2025.

PENDANT

UPGRADED

ETHER S 150 SQ VERSION C
Pendant, indoor.
Transparent glass diffuser,
matte white metal structure.



Ether




ETHER SPECIAL VERSION
Pendant, indoor.
Transparent glass diffuser.
Custom cascading composition.



Ether is composed of clusters of transparent blown borosilicate glass elements in three different sizes, each handmade and uniquely dimpled, so that no two pieces are alike. The result is an ether of shimmering glass and light that dazzles and delights.

Ether is available in three standard versions (Ethers S, Ether S 90 and Ether S 150), but it can be customized in any size, finish, or configuration.



Ether is light and airy, yet it creates a hypnotizing visual impact.



ETHER S 150 SQ VERSION B
Pendant, indoor.
Transparent glass diffuser,
matte white metal structure (x2).

ETHER S 150 SQ VERSION C
Pendant, indoor.
Transparent glass diffuser,
matte white metal structure (x2).

Composition layout:
B+C+C+B

Learn more about the cascading configurations of Ether in the technical overview (p. 131-132).

Ether evolves with the integration of LED light sources, enhancing both energy efficiency and light quality, while offering new opportunities for customized installations through an expanded range of ceiling canopies.

The new matte white metal canopies are available in two round sizes (Ø48 cm and Ø68 cm) and a square version (70×70 cm), designed for both single and modular installations.

These canopies allow multiple elements to be arranged in linear, clustered, or square compositions, providing greater design flexibility.



TECHNICAL OVERVIEW

(INFO)

Please visit leucos.com or refer to the price list for full specifications and codification details.

(COLORS AND FINISHES)

Refer to the numbers in square brackets for the available colors and finishes of each collection.

Stripe

PENDANT
STRIPE S 180X8 H



[3]

WALL AND CEILING
STRIPE P-PL 120X8
STRIPE P-PL 90X8



[2]

PENDANT COUNTERWEIGHT
STRIPE S 120X8 CWT



[1]


FLOOR
STRIPE TR 180X15



[2]


COLORS
AND FINISHES

Steel structure and diffuser



Stripe S 120X8 CWT representing colors and finishes for the complete Stripe collection (unless otherwise specified).

ROTATABLE DIFFUSER
STRIPE S/S CWT/P-PL ONLY



The metal body of Stripe (S) can rotate on itself, adding another layer of interaction and flexibility to its luminous presence.

STRIPE S
PENDANT

NOVELTIES

Designer
Mayice Studio, 2025.

Category
Pendant, indoor.

Materials
Structure and diffuser:
steel with painted finishing.

Light source
Replaceable LED.

Dimming protocol
Push-dim; 0/1-10V; Dali.

US AND CANADA
0/1-10V; Phase Cut.

Marks
   DRY LOCATION
 (pending)


Notes
Rotatable diffuser.

**COLORS
AND FINISHES**
  
[2] [3] [4]

Canopy
Same color and finish
as the lamp.

STRIPE S 180X8 H

DIMENSIONS	Diffuser: 8 cm X 8 cm (3 1/8" X 3 1/8"), L180 cm (70 7/8"). Depth: 7-12 cm (2 3/4"-4 3/4"). Canopy: 40 cm X 7 cm X 4 cm (15 3/4" X 2 3/4" X 1 5/8"). Cable lenght: 300 cm (118 1/8").
	3000K, LED 1 X 35,3W, 5194 lm (nominal), CRI≥90. 2700K, LED 1 X 35,3W, 5123 lm (nominal), CRI≥90.
LIGHT SOURCE	US AND CANADA 3000K, LED 1 X 35,3W, 5194 lm (nominal), CRI≥90. 2700K, LED 1 X 35,3W 5123, lm (nominal), CRI≥90.
NET WEIGHT	7,5 kg (16,5 lbs).



STRIPE S CWT

PENDANT COUNTERWEIGHT

NOVELTIES

Designer

Mayice Studio, 2025.

Category

Counterweight pendant,
indoor.

Materials

Structure and diffuser:
brushed stainless steel
or steel with painted finishing.

Light source

Replaceable LED.

Dimming protocol

Dimmer on cord.

US AND CANADA

Dimmer on cord.

Marks

   DRY LOCATION

 (pending)

Notes

Rotatable and height-adjustable
diffuser.

**COLORS
AND FINISHES**



[1]

[2]


[3]

[4]

COUNTERWEIGHT



BRUSHED
STAINLESS STEEL



STRIPE S 120X8 CWT

DIMENSIONS	Diffuser: 8 cm X 8 cm (3 1/8" X 3 1/8"), H120 cm (47 1/4"). Counterweight: Ø6 cm (2 3/8"), H14 cm (5 1/2"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 23,3W, 3430 lm (nominal), CRI≥90. 2700K, LED 1 X 23,3W, 3383 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 23,3W, 3430 lm (nominal), CRI≥90. 2700K, LED 1 X 23,3W, 3383 lm (nominal), CRI≥90.
NET WEIGHT	8 kg (17,7 lbs).

The metal body of Stripe S CWT
can slide vertically and rotate on
its axis.



STRIPE P-PL

WALL AND CEILING

NOVELTIES

Designer

Mayice Studio, 2025.

Category

Wall and ceiling, indoor.

Materials

Structure and diffuser:
steel with painted finishing.

Light source

Replaceable LED.

Dimming protocol

Push-dim; Dali.

US AND CANADA

0/1-10V; Phase Cut.

Marks

   DRY LOCATION

 (pending)

Notes

Can be installed vertically
and horizontally.

Rotatable diffuser.

**COLORS
AND FINISHES**




[2]

[3]

[4]


STRIPE P-PL 120X8

DIMENSIONS	Diffuser: 8 cm X 8 cm (3 1/8" X 3 1/8"), L120 cm (47 1/4"). Depth: 11–13 cm (4"-5 1/2"). Height: 10–14 cm (4 3/8"-5 1/8").
LIGHT SOURCE	3000K, LED 1 X 23,3W, 3430 lm (nominal), CRI≥90. 2700K, LED 1 X 23,3W, 3383 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 23,3W, 3430 lm (nominal), CRI≥90. 2700K, LED 1 X 23,3W, 3383 lm (nominal), CRI≥90.
NET WEIGHT	6 kg (13,3 lbs).



STRIPE P-PL 90X8

DIMENSIONS	Diffuser: 8 cm X 8 cm (3 1/8" X 3 1/8"), L90 cm (35 3/8"). Depth: 11–13 cm (4"-5 1/2"). Height: 10–14 cm (4 3/8"-5 1/8").
LIGHT SOURCE	3000K, LED 1 X 17,3W, 2548 lm (nominal), CRI≥90. 2700K, LED 1 X 17,3W, 2513 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 17,3W, 2548 lm (nominal), CRI≥90. 2700K, LED 1 X 17,3W, 2513 lm (nominal), CRI≥90.
NET WEIGHT	4,5 kg (10 lbs).



STRIPE TR

FLOOR

NOVELTIES

Designer
Mayice Studio, 2025.

Category
Floor, indoor.

Materials
Structure and diffuser:
brushed stainless steel or steel
with painted finishing.

Light source
Replaceable LED.

Dimming protocol
Dimmer on cord.

US AND CANADA
Dimmer on cord.

Marks
   DRY LOCATION


**COLORS
AND FINISHES**


[1]


[2]


[3]


[4]



STRIPE TR 180X15	
DIMENSIONS	Diffuser: 15 cm X 15 cm (5 7/8" X 5 7/8"), H180 cm (70 7/8"). Base: Ø40 cm (15 3/4"). Cable lenght: 230 cm (90 1/2").
LIGHT SOURCE	3000K, LED 1 X 70,6W, 10387 lm (nominal), CRI≥90. 2700K, LED 1 X 70,6W, 10246 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 70,6W, 10387 lm (nominal), CRI≥90. 2700K, LED 1 X 70,6W, 10246 lm (nominal), CRI≥90.
NET WEIGHT	17,2 kg (38 lbs).


OR



COLORS AND FINISHES STANDARD

Polyurethane structure

MATTE WHITE



CHAMPAGNE




Polyurethane structure

SILVER



BRASS



ONLY ON REQUEST

OR 1 P-PL representing colors and finishes for the complete OR collection (unless otherwise specified).

OR P-PL WALL AND CEILING

NOVELTIES

Designer

Patrick Jouin, 2025.

Category

Wall and ceiling, indoor.

Materials

Liquid-painted polyurethane.

Light source

Replaceable LED.


Dimming protocol

Push-dim; 0/1-10V; Dali.


US AND CANADA

Push-dim; 0/1-10V; Dali.



Marks



STANDARD COLORS AND FINISHES




COLORS AND FINISHES ONLY ON REQUEST



OR 2 P-PL

DIMENSIONS	Width: 60 cm (23 5/8"). Height: 70,5 cm (27 3/4"). Depth: 10 cm (4").
LIGHT SOURCE	3000K, LED 1 X 11,5W + 1 X 12,5W (24W total), 1248 lm (nominal), CRI≥90. 2700K, LED 1 X 11,5W + 1 X 12,5W (24W total), 1200 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 5,75W + 1 X 6,25W (12W total), 1094lm (nominal), CRI≥90. 2700K, LED 1 X 5,75W + 1 X 6,25W (12W total), 1056lm (nominal), CRI≥90.
NET WEIGHT	2,5 kg (5,5 lbs).



OR 1 P-PL

DIMENSIONS	Width: 41,5 cm (16 3/8"). Height: 48,1 cm (18 7/8"). Depth: 10 cm (4").
LIGHT SOURCE	3000K, LED 1 X 11,5W, 598lm (nominal), CRI≥90. 2700K, LED 1 X 11,5W, 575lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 11,5W, 598lm (nominal), CRI≥90. 2700K, LED 1 X 11,5W, 575lm (nominal), CRI≥90.
NET WEIGHT	1,5 kg (3,3 lbs).

Glassdome



COLORS AND FINISHES

Metal structure	Glass diffuser	
	WHITE	
	MATTE WHITE	

Glassdome P-PL 11 representing the color and finish for the complete Glassdome collection (unless otherwise specified).

GLASSDOME P-PL

WALL AND CEILING

NOVELTIES

Designer
LEUCOS Design, 2025.

Category
Wall and ceiling, indoor.


Materials
Diffuser: hand-blown glass.
Structure: metal.

Light source
E27 Retrofit LED bulb
(not included).


US AND CANADA
E26 Retrofit LED bulb
(not included).

Marks
   DRY LOCATION

**COLORS
AND FINISHES**
White glass diffuser,
matte white metal structure.



GLASSDOME P-PL 14	
DIMENSIONS	Diffuser: Ø12 cm (4 3/4"), H14,2 cm (5 5/8"). Structure: Ø15,8 cm (6 1/4").
LIGHT SOURCE	1 X max. 18W E27 Retrofit LED bulb. US AND CANADA 1 X max. 18W E26 Retrofit LED bulb.
NET WEIGHT	1 kg (2,2 lbs).



GLASSDOME P-PL 11	
DIMENSIONS	Diffuser: Ø12 cm (4 3/4"), H11 cm (4 3/8"). Structure: Ø15,8 cm (6 1/4").
LIGHT SOURCE	1 X max. 8W E27 Retrofit LED bulb. US AND CANADA 1 X max. 8W E26 Retrofit LED bulb.
NET WEIGHT	1 kg (2,2 lbs).

Aella



COLORS
AND FINISHES

Glass diffuser

Metal structure

MATTE WHITE

MATTE BLACK

MATTE BRONZE

TRANSPARENT
WITH WHITE SPOT



SHADED BURGUNDY



PINK SHADED WHITE



Aella T 45 representing colors and finishes for the complete Aella collection (unless otherwise specified).

AELLA T OPENWORKED



Transparent with white spot diffuser, transparent glass and satin stainless steel structure with copper rods.



Transparent with white spot diffuser, transparent glass and matte white metal structure with copper rods.

AELLA S L
PENDANT

Designer

Toso & Massari, 2016, 2023.

Category

Pendant, indoor.

Materials

Diffuser: hand-blown glass.
Structure: metal.

Light source

Replaceable LED.

Dimming protocol

Push-dim; 0/1-10V; Dali.

US AND CANADA

Push-dim; 0/1-10V; Dali.
OR
0/1-10V; Phase-cut.


Marks



Notes




Class 3 version installation with remote driver available on request (supplied without canopy and driver).

COLORS
AND FINISHES



Canopy

Same color and finish as the structure.



AELLA S 54 L

DIMENSIONS	Diffuser: Ø54 cm (21 1/4"), H23,2 cm (9 1/4"). Canopy: Ø18 cm (7"), H4,9 cm (2"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 26,6W, 4060 lm (nominal), CRI≥90. 2700K, LED 1 X 26,6W, 3808 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 26,6W, 4060 lm (nominal), CRI≥90. 2700K, LED 1 X 26,6W, 3808 lm (nominal), CRI≥90.
NET WEIGHT	13,9 kg (30,7 lbs).

AELLA S 45 L

DIMENSIONS	Diffuser: Ø45 cm (17 3/4"), H19,3 cm (7 1/2"). Canopy: Ø18 cm (7"), H4,9 cm (2"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 16,6W, 2624 lm (nominal), CRI≥90. 2700K, LED 1 X 16,6W, 2461 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 14,2W, 2219 lm (nominal), CRI≥90. 2700K, LED 1 X 14,2W, 2118 lm (nominal), CRI≥90. 0/1-10V; Phase-cut version: 3000K, LED 1 X 21,5W, 3289 lm (nominal), CRI>90. 2700K, LED 1 X 21,5W, 3082 lm (nominal), CRI>90.
NET WEIGHT	8,15 kg (18 lbs).

AELLA S 30 L

DIMENSIONS	Diffuser: Ø30 cm (11 3/4"), H12,9 cm (5 1/8"). Canopy: Ø14,5 cm (5 3/4"), H4,6 cm (1 3/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 11,9W, 1635 lm (nominal), CRI≥90. 2700K, LED 1 X 11,9W, 1535 lm (nominal), CRI≥90. US AND CANADA 3000K, 1 X 11,9W, 1635 lm (nominal), CRI≥90. 2700K, 1 X 11,9W, 1535 lm (nominal), CRI≥90.
NET WEIGHT	3,8 kg (8,4 lbs).

Designer

Toso & Massari, 2016, 2023.

Pendant, indoor.

Diffuser: hand-blown glass.
Structure: metal.

Replaceable LED.



Push-dim; 0/1-10V; Dali.

Push-dim; 0/1-10V; Dali.
OR
0/1-10V; Phase-cut.

 DRY LOCATION
intertek

Class 3 version installation with remote driver available on request (supplied without canopy and driver).

Same color and finish
as the structure.



AELLA S 45	
DIMENSIONS	Diffuser: Ø45 cm (17 3/4"), H19,3 cm (7 1/2"). Canopy: Ø18 cm (7"), H4,9 cm (2"). Cable length: 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 16,6W, 2624 lm (nominal), CRI≥90. 2700K, 1 LED X 16,6W, 2461 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 14,2W, 2219 lm (nominal), CRI≥90. 2700K, 1 LED X 14,2W, 2118 lm (nominal), CRI≥90. 0/1-10V; Phase-cut version: 3000K, LED 1 X 21,5W, 3289 lm (nominal), CRI>90. 2700K, LED 1 X 21,5W, 3082 lm (nominal), CRI>90.
NET WEIGHT	7,8 kg (17,2 lbs).

Designer

Toso & Massari, 1968, 2017, 2023.

Table, indoor.



Diffuser: hand-blown glass.
Structure: metal.

Replaceable LED.

Dimmer on cord.

Dimmer on cord.

 DRY LOCATION



AELLA T 45	
DIMENSIONS	Diffuser: Ø45 cm (17 3/4"), H19,3 cm (7 1/2"). Base: Ø14 cm (5 1/2"), H21,3 cm (8 3/8"). Cable lenght: 200 cm (78 3/4").
LIGHT SOURCE	3000K, LED 1 X 16,6W, 2624 lm (nominal), CRI≥90. 2700K, LED 1 X 16,6W, 2461 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 14,2W, 2219 lm (nominal), CRI≥90. 2700K, LED 1 X 14,2W, 2118 lm (nominal), CRI≥90.
NET WEIGHT	8,3 kg (18,3 lbs).

AELLA T 30	
DIMENSIONS	Diffuser: Ø30 cm (11 3/4"), H12,9 cm (5 1/8"). Base: Ø10 cm (4"), H14,7 cm (5 1/8"). Cable lenght: 200 cm (78 3/4").
LIGHT SOURCE	3000K, LED 1 X 11,9W, 1635 lm (nominal), CRI≥90. 2700K, LED 1 X 11,9W, 1535 lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 11,9W, 1635 lm (nominal), CRI≥90. 2700K, LED 1 X 11,9W, 1535 lm (nominal), CRI≥90.
NET WEIGHT	3,3 kg (7,3 lbs).

AELLA T OPENWORKED TABLE

SPECIAL EDITION

Designer

Toso & Massari, 2024.

Category

Table, indoor.

Materials

Diffuser: hand-blown glass.
Structure: satin steel
or matte white metal
and copper rods.
Base: borosilicate glass.

Light source

Replaceable LED.

Dimming protocol

Dimmer on cord.

US AND CANADA

Dimmer on cord.

Marks


   DRY LOCATION

Notes

Personalized plaque on request.


COLORS AND FINISHES

See p. 104.



AELLA T 45 OPENWORKED

DIMENSIONS	Diffuser: Ø45 cm (17 3/4"), H19,3 cm (7 1/2"). Base: Ø15 cm (5 7/8"), H21,3 cm (8 3/8"). Cable lenght: 200 cm (78 3/4").
LIGHT SOURCE	3000K, LED 1 X 16,6W, 2556 lm (nominal), CRI≥90. 2700K, LED 1 X 16,6W, 2456 lm (nominal), CRI≥90.
	US AND CANADA 3000K, LED 1 X 14,2W, 2219 lm (nominal), CRI≥90. 2700K, 1 LED X 14,2W, 2118 lm (nominal), CRI≥90.
NET WEIGHT	8 kg (17,7 lbs).



The transparent base reveals
natural copper stems that
oxidize over time, adding
character to the piece.



Each Aella T 45 Openworked
features a hand-blown glass
diffuser with a unique white
spot and is individually crafted,
ensuring that no two pieces are
identical.

AELLA TR FLOOR

Designer

Toso & Massari, 2024.

Category

Floor, indoor.

Materials

Diffuser: hand-blown glass.
Structure: metal.

Light source

Replaceable LED.

Dimming protocol

Dimmer on cord.



US AND CANADA

Dimmer on cord.

Marks

   DRY LOCATION


COLORS AND FINISHES








AELLA TR 45

DIMENSIONS	Diffuser: Ø45 cm (17 3/4"), H19,3 cm (7 1/2"). Base: Ø32 cm (12 5/8"), H94,7 cm (37 1/4"). Cable lenght: 230 cm (90 1/2").
LIGHT SOURCE	3000K, LED 1 X 16,6W, 2624 lm (nominal), CRI≥90. 2700K, LED 1 X 16,6W, 2461 lm (nominal), CRI≥90.
	US AND CANADA 3000K, LED 1 X 14,2W, 2219 lm (nominal), CRI≥90. 2700K, LED 1 X 14,2W, 2118 lm (nominal), CRI≥90.
NET WEIGHT	14,5 kg (32 lbs).

Stacking







COLORS AND FINISHES
STANDARD

		Transparent glass diffuser		
		SMOOTH	RIGADIN (RIG)	MILLERIGHE (MLR)
Metal structure	ANODIZED ALUMINUM	 [1]	 [3]	 [5]
	MATTE BLACK	 [2]	 [4]	 [6]

Stacking S 120 H representing colors and finishes for the complete Stacking collection (unless otherwise specified).

ONLY ON REQUEST*

		PVD metalized glass diffuser	
		SMOOTH METALLIC PETROL BLUE	SMOOTH METALLIC TITANIUM
		 Light OFF [7]	 Light OFF [9]
		 Light OFF [8]	 Light OFF [10]

*PVD metalized glass diffuser for smooth glass only.

STACKING TR ONLY



Smoke grey, white, smoke grey, white, mirror, chrome structure.



Smoke grey, white, amber, tobacco, white, amber, gold structure.



White, gold, transparent tobacco, white, gold, black, gold structure.

GLASS DIFFUSER
ARRANGEMENT
STACKING S/P-PL/T ONLY

■ Available □ Only on request (minimum order quantity applies) - Not available AA Anodized Aluminum MB Matte Black

SMOOTH GLASS

Colors and finishes	TRANSPARENT				METALLIC PETROL BLUE				METALLIC TITANIUM			
Glass diffuser arrangement	Stacked modules		Single Glass (VU)		Stacked modules		Single Glass (VU)		Stacked modules		Single Glass (VU)	
Metal structure	AA	MB	AA	MB	AA	MB	AA	MB	AA	MB	AA	MB
STACKING S 180 H	■	■	-	-	□	□	-	-	□	□	-	-
STACKING S 120 H	■	■	-	-	□	□	-	-	□	□	-	-
STACKING S 90 V	■	■	-	-	□	□	-	-	□	□	-	-
STACKING S 60 V	■	■	-	-	□	□	-	-	□	□	-	-
STACKING S 30 V	■	■	-	-	□	□	-	-	□	□	-	-
STACKING P-PL 60	■	■	-	-	□	□	-	-	□	□	-	-
STACKING P-PL 30	■	■	-	-	□	□	-	-	□	□	-	-
STACKING T 30X15 RIG	-	-	-	-	-	-	-	-	-	-	-	-

RIGADIN GLASS (RIG)

Colors and finishes	TRANSPARENT				METALLIC PETROL BLUE				METALLIC TITANIUM			
Glass diffuser arrangement	Stacked modules		Single Glass (VU)		Stacked modules		Single Glass (VU)		Stacked modules		Single Glass (VU)	
Metal structure	AA	MB	AA	MB	AA	MB	AA	MB	AA	MB	AA	MB
STACKING S 180 H	■	■	-	-	-	-	-	-	-	-	-	-
STACKING S 120 H	■	■	-	-	-	-	-	-	-	-	-	-
STACKING S 90 V	■	■	-	-	-	-	-	-	-	-	-	-
STACKING S 60 V	■	■	■	■	-	-	-	-	-	-	-	-
STACKING S 30 V	■	■	■	■	-	-	-	-	-	-	-	-
STACKING P-PL 60	■	■	■	■	-	-	-	-	-	-	-	-
STACKING P-PL 30	■	■	■	■	-	-	-	-	-	-	-	-
STACKING T 30X15 RIG	-	-	-	■	-	-	-	-	-	-	-	-

MILLERIGHE GLASS (MLR)

Colors and finishes	TRANSPARENT				METALLIC PETROL BLUE				METALLIC TITANIUM			
Glass diffuser arrangement	Stacked modules		Single Glass (VU)		Stacked modules		Single Glass (VU)		Stacked modules		Single Glass (VU)	
Metal structure	AA	MB	AA	MB	AA	MB	AA	MB	AA	MB	AA	MB
STACKING S 180 H	■	■	-	-	-	-	-	-	-	-	-	-
STACKING S 120 H	■	■	-	-	-	-	-	-	-	-	-	-
STACKING S 90 V	■	■	-	-	-	-	-	-	-	-	-	-
STACKING S 60 V	■	■	■	■	-	-	-	-	-	-	-	-
STACKING S 30 V	■	■	■	■	-	-	-	-	-	-	-	-
STACKING P-PL 60	■	■	■	■	-	-	-	-	-	-	-	-
STACKING P-PL 30	■	■	■	■	-	-	-	-	-	-	-	-
STACKING T 30X15 RIG	-	-	-	-	-	-	-	-	-	-	-	-

SAMPLE GALLERY



CANOPY SYSTEMS

STACKING S ONLY



The new LEUCOS ceiling canopies are designed to support multi-light compositions, allowing multiple pendant elements to be suspended from a single power source—transforming light into a sculptural and architectural feature.

Available in two versions—Round Cluster Canopy 55 (Ø55 cm) and Radial Cluster Canopy 33 (Ø33 cm)—they are made of matte white metal and designed for customized lighting arrangements.

With the new LEUCOS canopies, up to 12 pendant elements can be combined, including Stacking in vertical and horizontal configurations, creating dynamic compositions of light and volume that enhance and personalize any space.


The round canopy gathers suspension lights around a central point, generating a cascade of light that amplifies their three-dimensional impact. In contrast, the radial canopy, with its fan-like structure, distributes the pendants outward, resulting in a more airy and dynamic effect.

Both versions are compatible with Push-dim, 0/1-10V, and DALI control systems (US and Canada 0/1-10V only) for Stacking suspensions with integrated LED light sources, ensuring advanced and flexible lighting management.




EXAMPLES OF COMPOSITIONS

ROUND CLUSTER CANOPY 55



RADIAL CLUSTER CANOPY 33



CLUSTER CANOPY

CEILING

NOVELTIES

Designer
LEUCOS Design, 2025.

Category
Ceiling, indoor.

Materials
Structure: metal.

Dimming protocol
On-off.
Push-dim; 0/1-10V; Dali.


US AND CANADA
On-off.
0/1-10V.

Marks
   DRY LOCATION 

Notes
Driver included.

COLORS AND FINISHES

 MATTE WHITE



ROUND CLUSTER CANOPY 55	
DIMENSIONS	Ø55 cm (21 5/8"), H6 cm (2 3/8").
CONFIGURATION	Up to 12 pendant elements equally distributed (STACKING S V only). Max. weight of installable fixtures: 30 kg. Max. wattage: 24Vdc, 135W.
CONFIGURATION	US AND CANADA Up to 12 pendant elements equally distributed (STACKING S V only). Max. weight of installable fixtures: 66 lbs. Max. wattage: 24V, 86,5W+86,5W (173W) (On-Off), 54W+54W (108W) (0/1-10V).
NET WEIGHT	10 kg (22 lbs).

DIMMING PROTOCOL	DRIVER QUANTITY (INCLUDED)	WATT
Push-dim; 0/1-10V; Dali.	1	135W
On-off	1	135W

US AND CANADA		
DIMMING PROTOCOL	DRIVER QUANTITY (INCLUDED)	WATT
0/1-10V	2*	54W+54W (108W)
On-off	2*	86,5W+86,5W (173W)

*Each driver works separately.

RADIAL CLUSTER CANOPY 33	
DIMENSIONS	Ø33 cm (12"), H5,7 cm (2 1/4").
CONFIGURATION	Up to 12 pendant elements (STACKING S H and V). Max. wattage: 24Vdc, 135W.
CONFIGURATION	US AND CANADA Up to 12 pendant elements (STACKING S H and V). Max. wattage: 24V, 86,5W+86,5W (173W) (On-Off), 54W+54W (108W) (0/1-10V).
NET WEIGHT	4,6 kg (10 lbs).

DIMMING PROTOCOL	DRIVER QUANTITY (INCLUDED)	WATT
Push-dim; 0/1-10V; Dali.	1	135W
On-off	1	135W

US AND CANADA		
DIMMING PROTOCOL	DRIVER QUANTITY (INCLUDED)	WATT
0/1-10V	2*	54W+54W (108W)
On-off	2*	86,5W+86,5W (173W)

*Each driver works separately.

STACKING S H

PENDANT

Designer
David Rockwell, 2023.

Category
Pendant, indoor.

Materials
Diffuser: smooth borosilicate glass.
Structure: aluminum.

Light source
Replaceable LED.

Dimming protocol
Push-dim; 0/1-10V; Dali.

US AND CANADA
0/1-10V; Phase Cut.


Marks
   DRY LOCATION 

Notes
Class 3 version installation with remote driver available on request (supplied without canopy and driver).


Accessories
Radial Cluster Canopy 33.

Learn more at p. 116-118.

STANDARD COLORS AND FINISHES




COLORS AND FINISHES ONLY ON REQUEST*




 MATTE WHITE

*Minimum order quantity applies.

STACKING S 180 H	
DIMENSIONS	Diffuser: Ø10 cm (4"), L180 cm (70 7/8"). Canopy: 40 cm X 7 cm X 4 cm (15 3/4" X 2 3/4" X 1 5/8"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 43,75W (total), 5031 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 43,75W (total), 4812 lm (nominal), CRI≥90.
LIGHT SOURCE	US AND CANADA 3000K, 5XLED STRIP 43,75W (total), 3830 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 43,75W (total), 3539 lm (delivered), CRI≥90.
NET WEIGHT	10 kg (22 lbs).




STACKING S 120 H	
DIMENSIONS	Diffuser: Ø10 cm (4"), L120 cm (47 1/4"). Canopy: 40 cm X 7 cm X 4 cm (15 3/4" X 2 3/4" X 1 5/8"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 28,75W (total), 3306 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 28,75W (total), 3162 lm (nominal), CRI≥90.
LIGHT SOURCE	US AND CANADA 3000K, 5XLED STRIP 28,75W (total), 2523 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 28,75W (total), 2472 lm (delivered), CRI≥90.
NET WEIGHT	5,6 kg (12,35 lbs).




STACKING S H RIG/MLR

PENDANT


UPGRADED

Designer David Rockwell, 2024, 2025.	
Category Pendant, indoor.	
Materials Diffuser: rigadin or millerighe borosilicate glass. Structure: aluminum.	
Light source Replaceable LED.	
Dimming protocol Push-dim; 0/1-10V; Dali.	
US AND CANADA 0/1-10V; Phase Cut.	
Marks 	
Notes Class 3 version installation with remote driver available on request (supplied without canopy and driver).	
Accessories Radial Cluster Canopy 33. Learn more at p. 116-118.	
STANDARD COLORS AND FINISHES 	
CANOPY 	

STACKING S 180 H RIG/MLR	
DIMENSIONS	Diffuser: Ø10 cm (4"), L180 cm (70 7/8"). Canopy: 40 cm X 7 cm X 4 cm (15 3/4" X 2 3/4" X 1 5/8"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 43,75W (total), 5031 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 43,75W (total), 4812 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 43,75W (total), 3830 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 43,75W (total), 3539 lm (delivered), CRI≥90.
NET WEIGHT	12,3 kg (27,1 lbs).





STACKING S 120 H RIG/MLR	
DIMENSIONS	Diffuser: Ø10 cm (4"), L120 cm (47 1/4"). Canopy: 40 cm X 7 cm X 4 cm (15 3/4" X 2 3/4" X 1 5/8"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 28,75W (total), 3306 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 28,75W (total), 3162 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 28,75W (total), 2523 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 28,75W (total), 2472 lm (delivered), CRI≥90.
NET WEIGHT	7,1 kg (15,65 lbs).




STACKING S V

PENDANT


Designer David Rockwell, 2023.	
Category Pendant, indoor.	
Materials Diffuser: smooth borosilicate glass. Structure: aluminum.	
Light source Replaceable LED.	
Dimming protocol Push-dim; 0/1-10V; Dali.	
US AND CANADA 0/1-10V; Phase Cut.	
Marks 	
Notes Class 3 version installation with remote driver available on request (supplied without canopy and driver).	
Accessories Round Cluster Canopy 55, Radial Cluster Canopy 33. Learn more at p. 116-118.	
STANDARD COLORS AND FINISHES 	
COLORS AND FINISHES ONLY ON REQUEST* 	
CANOPY 	

*Minimum order quantity applies.


STACKING S 90 V	
DIMENSIONS	Diffuser: Ø10 cm (4"), H90 cm (35 3/8"). Canopy: Ø14,5 cm (5 3/4"), H4,6 cm (1 3/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 21,25W (total), 2443 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 21,25W (total), 2337 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 21,25W (total), 1895 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 21,25W (total), 1857 lm (delivered), CRI≥90.
NET WEIGHT	4,3 kg (9,5 lbs).



STACKING S 60 V	
DIMENSIONS	Diffuser: Ø10 cm (4"), H60 cm (23 5/8"). Canopy: Ø14,5 cm (5 3/4"), H4,6 cm (1 3/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 13,75W (total), 1581 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 13,75W (total), 1512 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 13,75W (total), 1218 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 13,75W (total), 1186 lm (delivered), CRI≥90.
NET WEIGHT	3,2 kg (7 lbs).



STACKING S 30 V	
DIMENSIONS	Diffuser: Ø10 cm (4"), H30 cm (11 3/4"). Canopy: Ø14,5 cm (5 3/4"), H4,6 cm (1 3/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 6,25W (total), 718 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 6,25W (total), 687 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 6,25W (total), 541 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 6,25W (total), 530 lm (delivered), CRI≥90.
NET WEIGHT	2,3 kg (5 lbs).



STACKING S V RIG/MLR

PENDANT

UPGRADED

Designer

David Rockwell, 2024, 2025.

Category

Pendant, indoor.

Materials

Diffuser: rigadin or millerighe borosilicate glass.
Structure: aluminum.

Light source

Replaceable LED.

Dimming protocol

Push-dim; 0/1-10V; Dali.

US AND CANADA

0/1-10V; Phase Cut.

Marks



Notes

Class 3 version installation with remote driver available on request (supplied without canopy and driver).

Accessories

Round Cluster Canopy 55,
Radial Cluster Canopy 33.


Learn more at p. 116-118.

GLASS DIFFUSER ARRANGEMENT


Single glass version (VU)
available (not for STACKING
S 90 V RIG/MLR).

Learn more at p. 114-115.

STANDARD COLORS AND FINISHES



CANOPY



STACKING S 90 V RIG/MLR

DIMENSIONS	Diffuser: Ø10 cm (4"), H90 cm (35 3/8"). Canopy: Ø14,5 cm (5 3/4"), H4,6 cm (1 3/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 21,25W (total), 2443 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 21,25W (total), 2337 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 21,25W (total), 1895 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 21,25W (total), 1857 lm (delivered), CRI≥90.
NET WEIGHT	5,4 kg (12 lbs).

STACKING S 60 V RIG/MLR/RIG VU/MLR VU

DIMENSIONS	Diffuser: Ø10 cm (4"), H60 cm (23 5/8"). Canopy: Ø14,5 cm (5 3/4"), H4,6 cm (1 3/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 13,75W (total), 1581 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 13,75W (total), 1512 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 13,75W (total), 1218 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 13,75W (total), 1186 lm (delivered), CRI≥90.
NET WEIGHT	3,9 kg (8,6 lbs). Single glass version (VU): 3,2 kg (7 lbs).

STACKING S 30 V RIG/MLR/RIG VU/MLR VU

DIMENSIONS	Diffuser: Ø10 cm (4"), H30 cm (11 3/4"). Canopy: Ø14,5 cm (5 3/4"), H4,6 cm (1 3/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 6,25W (total), 718 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 6,25W (total), 687 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 6,25W (total), 541 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 6,25W (total), 530 lm (delivered), CRI≥90.
NET WEIGHT	2,7 kg (6 lbs). Single glass version (VU): 2,7 kg (6 lbs).

STACKING P-PL

WALL AND CEILING

NOVELTIES

Designer

David Rockwell, 2025.

Category

Wall and ceiling, indoor.

Materials

Diffuser: smooth borosilicate glass.
Structure: aluminum.

Light source

Replaceable LED.

Dimming protocol

Push-dim; Dali.

US AND CANADA

0/1-10V; Phase Cut.


Marks




Notes

Can be installed vertically
and horizontally.

STANDARD COLORS AND FINISHES



COLORS AND FINISHES ONLY ON REQUEST*



*Minimum order quantity applies.

STACKING P-PL 60

DIMENSIONS	Diffuser: Ø10 cm (4"), H62 cm (24 3/8"). Depth: 14 cm (5 1/2").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 13,75W (total), 1581 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 13,75W (total), 1512 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 13,75W (total), 1581 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 13,75W (total), 1512 lm (nominal), CRI≥90.
NET WEIGHT	3 kg (6,6 lbs).

STACKING P-PL 30

DIMENSIONS	Diffuser: Ø10 cm (4"), H32 cm (12 5/8"). Depth: 14 cm (5 1/2").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 6,25W (total), 718 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 6,25W (total), 687 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 6,25W (total), 718 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 6,25W (total), 687 lm (nominal), CRI≥90.
NET WEIGHT	1,9 kg (4,2 lbs).

STACKING P-PL RIG/MLR

WALL AND CEILING

NOVELTIES

Designer


David Rockwell, 2025.

Category

Wall and ceiling, indoor.

Materials

Diffuser: rigadin or millerighe borosilicate glass.
Structure: aluminum.



STACKING P-PL 60 RIG/MLR/RIG VU/MLR VU

DIMENSIONS	Diffuser: Ø10 cm (4"), H62 cm (24 3/8"). Depth: 14 cm (5 1/2").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 13,75W (total), 1581 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 13,75W (total), 1512 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 13,75W (total), 1218 lm (delivered), CRI≥90. 2700K, 5XLED STRIP 13,75W (total), 1186 lm (delivered), CRI≥90.
NET WEIGHT	Rigadin glass diffuser version (RIG): 3,5 kg (7,7 lbs). Millerighe glass diffuser version (MLR): 3,1 kg (6,85 lbs).

Light source


Replaceable LED.

Dimming protocol

Push-dim; Dali.

US AND CANADA

0/1-10V; Phase Cut.



STACKING P-PL 30 RIG/MLR/RIG VU/MLR VU

DIMENSIONS	Diffuser: Ø10 cm (4"), H32 cm (12 5/8"). Depth: 14 cm (5 1/2").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 6,25W (total), 718 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 6,25W (total), 687 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 6,25W (total), 718 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 6,25W (total), 687lm (nominal), CRI≥90.
NET WEIGHT	Rigadin glass diffuser version (RIG): 2,25 kg (5 lbs). Millerighe glass diffuser version (MLR): 2 kg (4,4 lbs).

Marks



Notes


Can be installed vertically and horizontally.

GLASS DIFFUSER ARRANGEMENT

Single glass version (VU) available.

Learn more at p. 114-115.

STANDARD COLORS AND FINISHES



STACKING T

TABLE

NOVELTIES

Designer


David Rockwell, 2025.

Category

Table, indoor.

Materials

Diffuser: rigadin borosilicate glass.
Structure: metal.



Light source

Replaceable LED.


Dimming protocol

Dimmer on cord.

US AND CANADA

Dimmer on cord.

Marks



STANDARD COLORS AND FINISHES



STACKING T 30X15 RIG

DIMENSIONS	Diffuser: Ø15 cm (5 7/8"), H34,2 cm (13 1/2"). Cable lenght: 200 cm (78 3/4").
LIGHT SOURCE	3000K, 5XLED STRIP 24V 10W (total), 718 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 10W (total), 687 lm (nominal), CRI≥90. US AND CANADA 3000K, 5XLED STRIP 24V 10W (total), 718 lm (nominal), CRI≥90. 2700K, 5XLED STRIP 24V 10W (total)W, 687 lm (nominal), CRI≥90.
NET WEIGHT	4 kg (8,8 lbs).

STACKING TR FLOOR

Designer

Rockwell Group, 2007.

Category

Floor, indoor.

Materials

Diffuser: hand-blown glass.
Structure: metal.

Light source

GU10 Retrofit LED bulb
(not included).

US AND CANADA

GU10 Retrofit LED bulb
(not included).

Dimming protocol

Dimmer on cord.

US AND CANADA


On-off.

Marks

 **IP20** DRY LOCATION

COLORS
AND FINISHES

See p. 112-113.



STACKING B TR



DIMENSIONS	Diffuser: Ø23 cm (9"), H115 cm (45 1/4"). Cable lenght: 220 cm (86 5/8").
LIGHT SOURCE	4 X 7W GU10 Retrofit LED bulb. US AND CANADA 4 X 7W GU10 Retrofit LED bulb.
NET WEIGHT	29 kg (64 lbs).

STACKING C TR

DIMENSIONS	Diffuser: Ø23 cm (9"), H163 cm (64 1/4"). Cable lenght: 220 cm (86 5/8").
LIGHT SOURCE	4 X 7W GU10 Retrofit LED bulb. US AND CANADA 4 X 7W GU10 Retrofit LED bulb.
NET WEIGHT	36,7 kg (81 lbs).

STACKING D TR

DIMENSIONS	Diffuser: Ø23 cm (9"), H148 cm (58 1/4"). Cable lenght: 220 cm (86 5/8").
LIGHT SOURCE	4 X 7W GU10 Retrofit LED bulb. US AND CANADA 4 X 7W GU10 Retrofit LED bulb.
NET WEIGHT	30,2 kg (66,7 lbs).



Aurelia

PENDANT
AURELIA S 45



PENDANT
AURELIA BOLD S 22



COLORS
AND FINISHES

Glass diffuser

Metal structure

MATTE WHITE

VINTAGE BRASS

MATTE GUNMETAL



Aurelia S 45 representing colors and finishes for the complete Aurelia collection (unless otherwise specified).

AURELIA S SS/BOLD S SS
PENDANT

Designer

Patrick Jouin, 2021.

Category

Pendant, indoor.

Materials

Diffuser: hand-blown glass.
Structure: metal.

Light source

Single-switch (SS)
double-emission
replaceable LED.

Dimming protocol

Push-dim; 0/1-10V; Dali.

US AND CANADA

Push-dim; 0/1-10V; Dali.




Marks



Notes


Class 3 version installation
with remote driver available
on request (supplied without
canopy and driver).

COLORS
AND FINISHES



Canopy

Same color and finish
as the structure.




AURELIA S 45 SS

DIMENSIONS	Diffuser: Ø45 cm (17 3/4"), H14 cm (5 1/2"). Canopy: Ø18 cm (7"), H4,9 cm (2"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	Direct emission: 3000K, LED 1 X 11,6W, 1531 lm (nominal), CRI≥90. 2700K, LED 1 X 11,6W, 1471 lm (nominal), CRI≥90. Indirect emission: 3000K, LED 1 X 14,4W, 2450 lm (nominal), CRI≥90. 2700K, LED 1 X 14,4W, 2360 lm (nominal), CRI≥90. US AND CANADA Direct emission: 3000K, LED 1 X 11,6W, 1531 lm (nominal), CRI≥90. 2700K, LED 1 X 11,6W, 1471 lm (nominal), CRI≥90. Indirect emission: 3000K, LED 1 X 14,4W, 2450 lm (nominal), CRI≥90. 2700K, LED 1 X 14,4W, 2360 lm (nominal), CRI≥90.
NET WEIGHT	9,3 kg (20,5 lbs).

AURELIA BOLD S 22 SS


DIMENSIONS	Diffuser: Ø22,5 cm (8 3/4"), H20,5 cm (8"). Canopy: Ø18 cm (7"), H4,9 cm (2"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	Direct emission: 3000K, LED 1 X 11,6W, 1531 lm (nominal), CRI≥90. 2700K, LED 1 X 11,6W, 1471 lm (nominal), CRI≥90. Indirect emission: 3000K, LED 1 X 5,8W, 980 lm (nominal), CRI≥90. 2700K, LED 1 X 5,8W, 944 lm (nominal), CRI≥90. US AND CANADA Direct emission: 3000K, LED 1 X 11,6W, 1531 lm (nominal), CRI≥90. 2700K, LED 1 X 11,6W, 1471 lm (nominal), CRI≥90. Indirect emission: 3000K, LED 1 X 5,8W, 980 lm (nominal), CRI≥90. 2700K, LED 1 X 5,8W, 944 lm (nominal), CRI≥90.
NET WEIGHT	3,5 kg (7,7 lbs).



Ether

CASCADING VERSIONS ETHER S SQ ONLY


PENDANT
ETHER S 150 RD
ETHER S 90 RD
ETHER S RD



PENDANT
ETHER S 150 SQ
ETHER S 90 SQ




[C]




[A]



[B]









[C]



[D]

Ether S 150 SQ representing cascading versions for the complete Ether S SQ collection (unless otherwise specified).

EXAMPLES
OF COMPOSITIONS



ETHER S RD
PENDANT

UPGRADED

Designer

Patrick Jouin, 2006, 2025.

Category

Pendant, indoor.

Materials

Diffuser: blown borosilicate glass.
Structure: metal.

Light source

Replaceable LED.


Dimming protocol

Push-dim; 0/1-10V; Dali.

US AND CANADA

0/1-10V; Phase Cut.

Marks






Notes

Custom sizes and special versions available on request.

COLORS
AND FINISHES

Transparent glass diffuser,
matte white metal structure.



ETHER S 150 RD

DIMENSIONS	Diffuser: Ø68 cm (26 3/4"), H150 cm (59"). Canopy: Ø56,3 cm (22 1/8"), H5,5 cm (2 1/8").
LIGHT SOURCE	3000K, LED 5 X 8,7W (43,5W total), 5725lm (nominal), CRI≥90. 2700K, LED 5 X 8,7W (43,5W total), 5380lm (nominal), CRI≥90. US AND CANADA 3000K, LED 5 X 8,7W (43,5W total), 5725lm (nominal), CRI≥90. 2700K, LED 5 X 8,7W (43,5W total), 5380lm (nominal), CRI≥90.
NET WEIGHT	23 kg (51 lbs).

ETHER S 90 RD

DIMENSIONS	Diffuser: Ø68 cm (26 3/4"), H87 cm (34 1/4"). Canopy: Ø56,3 cm (22 1/8"), H5,5 cm (2 1/8").
LIGHT SOURCE	3000K, LED 5 X 8,7W (43,5W total), 5725lm (nominal), CRI≥90. 2700K, LED 5 X 8,7W (43,5W total), 5380lm (nominal), CRI≥90. US AND CANADA 3000K, LED 5 X 8,7W (43,5W total), 5725lm (nominal), CRI≥90. 2700K, LED 5 X 8,7W (43,5W total), 5380lm (nominal), CRI≥90.
NET WEIGHT	18 kg (40 lbs).

ETHER S RD

DIMENSIONS	Diffuser: Ø48,5 cm (19 1/8"), H87 cm (34 1/4"). Canopy: Ø40 cm (15 3/4"), H5,5 cm (2 1/8").
LIGHT SOURCE	3000K, LED 3 X 8,7 W (26,1W total), 3435lm (nominal), CRI≥90. 2700K, LED 3 X 8,7W (26,1W total), 3228lm (nominal), CRI≥90. US AND CANADA 3000K, LED 3 X 8,7 W (26,1W total), 3435lm (nominal), CRI≥90. 2700K, LED 3 X 8,7W (26,1W total), 3228lm (nominal), CRI≥90.
NET WEIGHT	10 kg (23,2 lbs).

ETHER S SQ PENDANT

NOVELTIES

Designer

Patrick Jouin, 2025.

Category

Pendant, indoor.

Materials

Diffuser: blown borosilicate glass.
Structure: metal.

Light source

Replaceable LED.


Dimming protocol

Push-dim; 0/1-10V; Dali.

US AND CANADA

0/1-10V; Phase Cut.

Marks



Notes

Custom sizes and special versions available on request.


CASCADING VERSIONS

Four different versions available.

Learn more at p. 131-132.


COLORS AND FINISHES

Transparent glass diffuser,
matte white metal structure.



ETHER S 150 SQ VERSION A/B/C/D

DIMENSIONS	Diffuser: 70 cm X 70 cm (27 1/2" X 27 1/2"), H150 cm (59"). Structure: 59 cm X 59 cm (23 1/4" X 23 1/4"), H5,5 cm (2 1/8").
LIGHT SOURCE	3000K, LED 4 X 8,7W (34,8W total), 4580lm (nominal), CRI≥90. 2700K, LED 4 X 8,7W (34,8W total), 4304lm (nominal), CRI≥90. US AND CANADA 3000K, LED 4 X 8,7W (34,8W total), 4580lm (nominal), CRI≥90. 2700K, LED 4 X 8,7W (34,8W total), 4304lm (nominal), CRI≥90.
NET WEIGHT	30 kg (66 lbs).



ETHER S 90 SQ VERSION A/B/C/D

DIMENSIONS	Diffuser: 70 cm X 70 cm (27 1/2" X 27 1/2"), H87 cm (34 1/4"). Structure: 59 cm X 59 cm (23 1/4" X 23 1/4"), H5,5 cm (2 1/8").
LIGHT SOURCE	3000K, LED 4 X 8,7W (34,8W total), 4580lm (nominal), CRI≥90. 2700K, LED 4 X 8,7W (34,8W total), 4304lm (nominal), CRI≥90. US AND CANADA 3000K, LED 4 X 8,7W (34,8W total), 4580lm (nominal), CRI≥90. 2700K, LED 4 X 8,7W (34,8W total), 4304lm (nominal), CRI≥90.
NET WEIGHT	25 kg (55 lbs).

(GENERAL INFO)

LEUCOS reserves the right to modify, at any time without notice, the technical and aesthetic characteristics of the elements presented in this catalog.

The colors shown in the catalog are for reference only. Regardless of patent protection, the designs and patterns produced by LEUCOS and featured in this catalog are protected by copyright. The registered trademarks mentioned in the catalog are the exclusive property of their respective owners. All technical details referring to the wattage of Retrofit LED sources are for guidance only. Due to the ever-changing technological advancements, LEUCOS reserves the right to update both the list of available products and their technical specifications.

It is forbidden to reproduce any part of this catalog. Printed in Italy.
Edition: January 2026.



(GENERAL INFO)

LEUCOS reserves the right to modify, at any time, the technical specifications and aesthetic characteristics of the elements shown in this catalog.

The colors shown in the catalog are for reference only. The designs and patterns produced by LEUCOS are protected by copyright. The registered trademarks mentioned are the property of their respective owners. All technical details and specifications are for guidance only. Due to the ever-changing nature of technology, LEUCOS reserves the right to update both the designs and the specifications.

It is forbidden to reproduce any part of this catalog. Printed in Italy.
Edition: January 2026.



LEUCOS Design, 2005–2021.

PENDANT
GRIP
WALL
FLOOR

Evolution of a classic.

JJ GREAT
Pendant, indoor.
Metal canopy and diffuser
with matte white painted finishing.



Large-scale, matte-lacquered aluminum floor lamp. Available in two color options with an outdoor-grade finish for maximum UV protection on both outdoor and indoor versions.



JJ GREAT
Floor, indoor.
Metal structure, diffuser and base with matte black painted finishing.



JJ GREAT
Floor, outdoor.
Metal structure, diffuser and base with custom color painted finishing.

The newest size and typology in the JJ Family. An adjustable grip lamp that can be oriented in all directions. The new JJ BIG – Grip allows different applications (table, floor, wall, or ceiling) thanks to the included Super Clamp, an attachment that enables the lamp to be fixed to a wide range of locations with either round or rectilinear profiles, and to compatible design accessories such as the Autopole (an extendable floor-to-ceiling tension column in anodized aluminum) and the Grip Mount (a wall/ceiling attachment in polished anodized aluminum).



JJ BIG
Grip, outdoor.
Metal diffuser with matte black painted finishing.



JJ BIG
Grip, indoor.
Metal diffuser with matte white painted finishing.

AUTOPOLE
Mounting accessory, indoor.
Anodized aluminum.



JJ BIG
Pendant, indoor.
 Metal canopy and diffuser
 with matte black painted finishing.



JJ BIG
Floor, indoor or outdoor.
 Metal structure, diffuser and base
 with custom color painted finishing.



JJ MID
Wall, indoor.
 Metal structure and diffuser
 with matte black painted finishing.



Floor lamp in matte-lacquered steel
 with an aluminum diffuser. Adjustable
 arms and diffuser.

JJ MID
Floor, indoor.
 Metal structure, diffuser
 and base with matte white
 painted finishing.

COLORS AND FINISHES

PENDANT
JJ GREAT
JJ BIG



GRIP
JJ BIG
JJ BIG OUTDOOR



Metal structure and diffuser

MATTE BLACK

MATTE WHITE



JJ BIG pendant representing colors and finishes for the complete JJ collection (unless otherwise specified).

FLOOR
JJ GREAT
JJ GREAT OUTDOOR
JJ BIG
JJ BIG OUTDOOR
JJ MID



WALL
JJ MID



MOUNTING ACCESSORIES JJ BIG GRIP ONLY

AUTOPOLE



GRIP MOUNT 120
GRIP MOUNT 50



JJ GREAT/JJ BIG PENDANT

Designer
LEUCOS Design, 2005, 2020.

Category
Pendant, indoor.

Materials
Aluminum.

Light source
Replaceable LED.

Dimming protocol
Push-dim; 0/1-10V; Dali.


US AND CANADA
Push-dim; 0/1-10V.

Marks


COLORS AND FINISHES

-  MATTE WHITE
-  MATTE BLACK

Canopy
Same color and finish as the lamp.



JJ GREAT PENDANT	
DIMENSIONS	Diffuser: Ø56 cm (22"), H59cm (23 1/4"). Canopy: Ø20 cm (7 7/8"), H5,6 cm (2 1/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 45W, 6691lm (nominal), CRI≥90. 2700K, LED 1 X 45W, 6433lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 37W, 5623lm (nominal), CRI≥90. 2700K, LED 1 X 37W, 5405lm (nominal), CRI≥90.
NET WEIGHT	7 kg (15,5 lbs).

JJ BIG PENDANT	
DIMENSIONS	Diffuser: Ø41 cm (16 1/8"), H43cm (16 7/8"). Canopy: Ø20 cm (7 7/8"), H5,6 cm (2 1/4"). Cable lenght: 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 45W, 6691lm (nominal), CRI≥90. 2700K, LED 1 X 45W, 6433lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 37W, 5623lm (nominal), CRI≥90. 2700K, LED 1 X 37W, 5405lm (nominal), CRI≥90.
NET WEIGHT	6 kg (13,2 lbs).

JJ BIG GRIP

Designer
LEUCOS Design, 2021.

Category
Grip, indoor and outdoor.

Materials
Aluminum.


Light source
Replaceable LED.


Dimming protocol Indoor
Dimmer on cord.

US AND CANADA
Dimmer on cord.

Dimming protocol Outdoor
Wireless CASAMBI® Smart Lighting Control.

US AND CANADA
Wireless CASAMBI® Smart Lighting Control.

Marks Indoor


Marks Outdoor



Notes
Super clamp width (round tube):
minumum Ø1,3 cm (Ø0 1/2"),
maximum Ø5,5 cm (Ø2 1/8").
Can also be used on flat surfaces.

Indoor mounting accessories
Grip Mount, Autopole.

COLORS AND FINISHES

-  MATTE WHITE
-  MATTE BLACK

SUPER CLAMP
 ANODIZED ALUMINUM



JJ BIG GRIP INDOOR/OUTDOOR	
DIMENSIONS	Diffuser: Ø41 cm (16 1/8"), H43cm (16 7/8"). Cable lenght: 500 cm (196 7/8") + push dimmer 150 cm (59").
LIGHT SOURCE	3000K, LED 1 X 45W, 6691lm (nominal), CRI≥90. 2700K, LED 1 X 45W, 6433lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 37W, 5623lm (nominal), CRI≥90.
NET WEIGHT	6 kg (13,4 lbs).

JJ MID WALL

Designer

LEUCOS Design, 2021.

Category

Wall, indoor.

Materials

Steel, aluminum diffuser.

Light source

E27 Retrofit LED bulb (not included) or replaceable LED.

US AND CANADA

Replaceable LED.

Dimming protocol

E27 version: on-off (on diffuser).
LED version: touch dimmer (on diffuser).

Marks

CE

IP20

DRY LOCATION

COLORS AND FINISHES

MATTE WHITE

MATTE BLACK

Wall bracket

Same color and finish as the lamp.

65cm
25 5/8"

22cm
8 5/8"

ø22cm
ø8 5/8"

115cm • 45 1/4"

110cm • 43 1/4"

JJ MID WALL

DIMENSIONS	Diffuser: Ø22 cm (8 5/8"), H22cm (8 5/8"). Structure: maximum height 185 cm (72 7/8"), maximum outreach 195 cm (76 3/4"). Cable lenght: 220 cm (86 5/8").
LIGHT SOURCE	1 X max. 10W E27 Retrofit LED bulb. 3000K, LED 1 X 13W, 1600lm (nominal), CRI≥90. 2700K, LED 1 X 13W, 1490lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 13W, 1600lm (nominal), CRI≥90. 2700K, LED 1 X 13W, 1490lm (nominal), CRI≥90.
NET WEIGHT	16 kg (35,2 lbs).

JJ GREAT/JJ BIG FLOOR

Designer

LEUCOS Design, 2005, 2020.

Category

Floor, indoor and outdoor.

Materials

Aluminum, steel base.

Light source

User replaceable LED.

Dimming protocol Indoor

Dimmer on cord.
Wireless CASAMBI® Smart Lighting Control.

US AND CANADA

Dimmer on cord.
Wireless CASAMBI® Smart Lighting Control.

Dimming protocol Outdoor

Wireless CASAMBI® Smart Lighting Control.

US AND CANADA

Wireless CASAMBI® Smart Lighting Control.

Marks Indoor

CE

IP20

DRY LOCATION

Marks Outdoor

CE

IP44

DAMP LOCATION

IP65

WET LOCATION

Notes

Custom color and finish available on request.

COLORS AND FINISHES

MATTE WHITE

MATTE BLACK

JJ GREAT FLOOR INDOOR/OUTDOOR

DIMENSIONS	Diffuser: Ø56 cm (22"), H59cm (23 1/4"). Base: Ø74 cm (29 1/8"). Structure: maximum height 420 cm (165 3/8"), maximum outreach 385 cm (151 3/8"). Cable lenght: indoor 350 cm (137 3/4"), outdoor 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 45W, 6691lm (nominal), CRI≥90. 2700K, LED 1 X 45W, 6433lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 37W, 5623lm (nominal), CRI≥90.
NET WEIGHT	160 kg (353 lbs).

285cm • 112 1/4"

200cm • 78 3/4"

226cm • 88"

225cm • 88 5/8"

JJ BIG FLOOR INDOOR/OUTDOOR

DIMENSIONS	Diffuser: Ø41 cm (16 1/8"), H43cm (16 7/8"). Base: Ø54 cm (21 1/4"). Structure: maximum height 315 cm (124"), maximum outreach 295 cm (115 3/4"). Cable lenght: indoor 350 cm (137 3/4"), outdoor 300 cm (118 1/8").
LIGHT SOURCE	3000K, LED 1 X 45W, 6691lm (nominal), CRI≥90. 2700K, LED 1 X 45W, 6433lm (nominal), CRI≥90. US AND CANADA 3000K, LED 1 X 37W, 5623lm (nominal), CRI≥90.
NET WEIGHT	73 kg (161 lbs).

225cm • 88 5/8"

163cm • 64 1/8"

162cm • 63 3/4"

TECHNICAL OVERVIEW

JJ

LEUCOS CATALOG 2026

(150) (151)

JJ MID FLOOR

Designer

LEUCOS Design, 2021.

Category

Floor, indoor.

Materials

Steel, aluminum diffuser
and base.

Light source

E27 Retrofit LED bulb (not included) or replaceable LED.

US AND CANADA

Replaceable LED.


Dimming protocol

E27 version: on-off (on diffuser).
LED version: touch dimmer
(on diffuser).




US AND CANADA

Touch dimmer (on diffuser).

Marks



COLORS AND FINISHES



JJ MID FLOOR

	Diffuser: Ø22 cm (8 5/8"), H22cm (8 5/8"). Base: Ø27,5 cm (10 7/8"). Structure: maximum height 185 cm (72 7/8"), maximum outreach 135 cm (53 1/8"). Cable lenght: 220 cm (86 5/8").
DIMENSIONS	
	1 X max. 10W E27 Retrofit LED bulb. 3000K, LED 1 X 13W, 1600lm (nominal), CRI≥90. 2700K, LED 1 X 13W, 1490lm (nominal), CRI≥90.
LIGHT SOURCE	
	US AND CANADA 3000K, LED 1 X 13W, 1600lm (nominal), CRI≥90. 2700K, LED 1 X 13W, 1490lm (nominal), CRI≥90.
NET WEIGHT	16 kg (35,2 lbs).

LEUCOS
CATALOG
2026

YOU
SPOT IT
FROM AFAR

leucos.com



LEUCOS S.r.l.

Via del Commercio, 22
36060 Romano d'Ezzelino VI
Italy

+39 041 5741 111
info.it@leucos.com

LEUCOS USA Inc.

6 Kilmer Rd Suite B
Edison, NJ 08817
United States of America

WAREHOUSE

2351 Us Highway 130 Ste B
Dayton, NJ 08810-1648
United States of America

+1 732 225-0010
info.us@leucos.com

leucos.com

[Download Catalog](#)



9004179